



**ADVANCED POLYMER, INC.**

GET THE API ADVANTAGE . . .

## APFS-27-40

APFS-27-40 is a fluorinated nonionic surfactant. APFS-27-40 is an excellent choice for wetting difficult to wet surfaces such as plastics, oily substrates, waxy surfaces, silicone and fluoropolymer treated fabrics. APFS-27-40 will reduce the surface tension of aqueous solutions and emulsions to as low as 20 dynes/cm.

### CHARACTERISTICS

- Stable and effective in hard water
- Stable in concentrated acids, bases and oxidizing solutions
- Low use levels required (0.01-0.1%)
- Provides better wetting, spreading, and penetration
- In coatings: Improves film uniformity, enhances adhesion, reduces pinholes and craters
- In finishes and polishes: Reduces droplet resulting in less spotting, and smoother and more even films
- Provides far greater surface tension reduction that can be achieved with either hydrocarbon or silicone based surfactants

SURFACE TENSION—DEIONIZED WATER	
0.01%	24 dynes/cm

### APPLICATIONS

- Floor polishes/Strippers
- Paints and Coatings
- Caustic Bottle Washing
- Acid Based Cleaners
- Bleach Based Cleaners

### TYPICAL PROPERTIES

Ionic Nature:	Nonionic
Specific Gravity (@ 25°C):	1.06
pH:	7.5
Active Content: (by weight—theoretical)	40%
Water Solubility:	Soluble

Advanced Polymer, Inc.  
 400 Paterson Plank Road  
 Carlstadt, NJ 07072  
 Phone: (201) 933-0600  
 Fax: (201) 933-8442  
[www.advpolymer.com](http://www.advpolymer.com)

Continued . . .



---

GET THE API ADVANTAGE . . .

## APFS-27-40

---

### STORAGE

A small amount of active, which redisperses easily, will settle to the bottom of container of APFS-27-40 upon storage. Therefore, APFS-27-40 should be agitated thoroughly prior to use to ensure consistent performance.

### PACKAGING

APFS-27-40 is available in 4 oz samples and 110-lb drums.

---

#### Advanced Polymer, Inc.

400 Paterson Plank Road  
Carlstadt, NJ 07072  
Tel: (201) 933-0600  
Fax: (201) 933-8442  
[www.advpolymer.com](http://www.advpolymer.com)

#### I want to know more!

[technical@advpolymer.com](mailto:technical@advpolymer.com)

You may also be  
interested in . . .

The information set forth herein is furnished free of charge and based on technical data that Advanced Polymer, Inc. believes to be reliable. It is intended for use by persons having technical skill at their own risk. Because conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. Nothing herein is to be taken as license to operate under or a recommendation to infringe any patents.

Revised March 3, 2011

**APFS-27-40**

**Section 1 - Product Identity**

Product Name: APFS-27-40  
 Chemical Name/Family: Fluorinated surfactant  
 Product Use: Wetting agent  
 24 Hour Emergency Number: 800-424-9300  
 24 Hour Chemtrec Number: 800-424-9300

**Section 2 - Composition/Information on Ingredients**

CHEMICAL	CAS #	TWA	STEL	Ceiling	Percent
Partially fluorinated surfactant	65545-80-4				40
Water	7732-18-5				30
Isopropanol	67-63-0				30
1-4 Dioxane	123-91-1				<0.1
OSHA Hazardous Component (29CFR1910.1200):					

**Section 3 - Hazard Identification**

Emergency Overview: No information available.  
 Color: Clear to slightly hazy amber to dark brown  
 Physical State: Liquid  
 Odor: Mild alcoholic  
 Primary Routes of Entry: Inhalation: Yes      Dermal: Yes      Ingestion: Yes  
 Acute Health Hazard: No data available.  
 Chronic Health Hazard: No data available.

**Carcinogenicity:**

NTP: Yes      IARC Monograph: 2B (1,4 Dioxane)      OSHA Regulated:

**Potential Health Effects:**

Skin: Prolonged or repeated contact may cause irritation to skin.  
 Eye: Exposure may cause irritation to eyes.  
 Ingestion: This material may be harmful if swallowed.  
 Inhalation: Vapor or mist may be harmful.

Medical Condition Generally Aggravated by Exposure: Irritation to the eyes, nose, throat, skin and respiratory tract and or gastrointestinal irritation (nausea, vomiting, diarrhea).

---

## Section 4 - First Aid Measures

---

Skin Contact:	Flush skin with plenty of water for 15 minutes. Remove clothing and wash before reuse. Get medical attention if irritation persists.
Eye Contact:	Flush with water for at least 15 minutes. Get medical attention if irritation persists.
Ingestion:	Do not induce vomiting. Immediately give 2 glasses of water. Never give anything by mouth to an unconscious person. Call a physician or local Poison Control Center.
Inhalation:	Immediately remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. Please note: Symptoms may be delayed; prompt medical attention may be required. Call a physician.

---

## Section 5 - Fire-Fighting Measures

---

Flash Point (method used):	22°C (PMCC)
Flammable Limits in Air (% by Volume):	N.D.
Fire & Explosion Hazard:	Flammable vapor may flash back to ignition source.
Extinguishing Media:	In case of fire, use water spray, dry chemical powder or CO <sub>2</sub> .
Special Fire Fighting Procedures:	Keep personnel removed from and upwind of fire. A self-contained breathing apparatus and protective clothing must be worn in fighting fires involving chemicals. Move containers from fire area if it can be done without risk. Use water to keep fire-exposed containers from cooling.
Unusual Fire and Explosion Hazard:	No data available.
Hazardous Decomposition Products:	Burning may produce toxic vapor, oxides of carbon and nitrogen, hydrogen fluoride and carbonyl fluoride.

### HAZARD CLASSIFICATION

Health Hazard:	1
Flammability:	3
Reactivity:	0

---

## Section 6 - Accidental Release Measures

---

Methods for Cleaning Up:	Soak up with clay, sawdust, sand, oil dry or other absorbent material. Dike and contain spilled material. Remove with vacuum trucks or pump to storage/salvage containers. Flush area with water to remove trace residue.
Environmental Precautions:	Shut off source of leak if it is safe to do so. Prevent liquid from entering sewers and waterways.
Personal Precautions:	Wear respirator and protective clothing as appropriate.

---

## Section 7 - Handling & Storage

---

Handling Conditions:	Handle and open containers with care. Do not handle near an open flame, heat or other source of ignition. Wear appropriate personal protection gear. Follow all MSDS/label warnings even after container is emptied since emptied containers retain product residues.
Storage Conditions:	Store in a tightly closed container. Store in a well ventilated area. Store away from incompatible materials. Protect from direct sunlight.

## Section 8 - Exposure Controls/Personal Protection

Engineering Controls:	Provide sufficient mechanical ventilation (general and local exhaust) to maintain exposure below the level of overexposure from known, suspected or apparent adverse effects.
Ventilation:	General and local exhaust ventilation is recommended.
Respiratory Protection:	If workplace exposure limits of product or any component are exceeded, a NIOSH/MSHA approved air supplied respirator is advised in absence of proper environmental control.
Eye Protection:	Safety glasses or wear safety chemical goggles when splashing is possible.
Skin Protection:	Wear neoprene or nitrile rubber gloves. Wear impervious clothing and boots or coveralls as necessary to prevent skin contact.
Other Protective Equipment:	Eye wash equipment.
Work Hygienic Measures:	Wash hands thoroughly after handling materials.
Exposure Guidelines:	No data available.

## Section 9 - Physical and Chemical Properties

Boiling Point:	82°C
Specific Gravity (H <sub>2</sub> O=1):	1.06
pH	7.5
Vapor Pressure:	No data available.
Vapor Density (Air=1):	No data available.
Percent Volatile by Weight:	60
Evaporation Rate (BuAc=1):	No data available.
Solubility in Water:	Soluble
Appearance and Odor:	Clear to slightly hazy, amber to dark brown liquid with mild alcoholic odor.

## Section 10 - Stability and Reactivity

Stability:	Stable: X	Unstable:
Condition to Avoid:	None.	
Incompatibilities:	None.	
Hazardous Decomposition or By-Products:	In case of fire or extreme heat, the following products may be produced: toxic vapor, oxides of carbon and nitrogen, hydrogen fluoride and carbonyl fluoride.	
Hazardous Polymerization:	May Occur:	May Not Occur: X

---

## Section 11 - Toxicological Information

---

Acute Toxicity:	No data available.
Chronic Toxicity:	No data available.
Eye Irritation:	Exposure may cause irritation to eyes.
Skin Irritation:	Prolonged or repeated contact may cause irritation to skin.
Inhalation:	Vapor or mist may be harmful.
Ingestion:	This material may be harmful if swallowed.
Sensitization:	No information available.
Mutagen Effects:	No information available.

---

## Section 12 - Ecological Information

---

Ecotoxicity Persistence and Degradability:	No information available.
Bioaccumulative Potential:	No information available.

---

## Section 13 - Disposal Considerations

---

Waste Disposal Method:	Waste Disposal Method As in accordance with EPA and local regulations.
------------------------	--

---

## Section 14 - Transport Information

---

Land Transport (DOT, ADR, RID):	Proper Shipping Name: Flammable Liquid, NOS (contains isopropanol)
	Hazard Class: 3
	Identification Number: UN 1993
	Packing Group: III

## Section 15 – Regulatory Information

### International Inventories

TSCA (USA)	Yes
DSL (Canada)	No data available.
EINECS (Europe)	No data available.
ENCS (Japan)	No data available.
IECSC (China)	No data available.
KECL (Korea)	No data available.
PICCS (Philippines)	No data available.
AICS (Australia)	No data available.
ERMA (New Zealand)	No data available.

### Federal Regulations

SARA 313	1,4 Dioxane, CAS # 123-91-1, <0.1%
SARA 311/312	No data available.
Clean Water Act	No data available.
Clean Air Act, Section 112 HAPs (see 40CFR61)	No data available.

### State Regulations

**California Proposition 65:** This product contains the following Proposition 65 chemicals

<u>Chemical Name</u>	<u>CAS#</u>	<u>Percent</u>
1,4 Dioxane	123-91-1	<0.1

## Section 16 - Other Information

Date Prepared .....February 9, 2010

Prepared By .....API

Date Revised .....

Revised By .....

THE INFORMATION AND RECOMMENDATIONS HEREIN, ARE TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE. NO WARRANTY, EXPRESS OR IMPLIED, IS MADE OR INTENDED.

TO THE CUSTOMERS OF ADVANCED POLYMER, INC.

All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties, express or implied:

Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Neither seller nor manufacturer shall be liable for any injury, loss of damage, direct, or consequential arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for his intended use. The user assumes all risk and liability whatsoever in connection therewith.

No statement or recommendation contained herein shall have any force or effect unless in an agreement signed by officers of seller and manufacturer. Since the manufacturer of the product described in this technical data sheet has no means of controlling the final use of the product by the consumer for the user, it is the responsibility of the immediate purchaser and any intermediate seller or sellers to inform the user of the purposes for which the product may be fit and suitable and of the properties of the product, including the precautionary measures which must be taken in order to ensure the safety of the user and of other third persons and property.

No statement made herein shall be taken as an authorization or inducement to practice any patented invention without appropriate license.