




ADVANCED POLYMER, INC.

GET THE API ADVANTAGE . . .

APS-215

APS-215 fluid is a reactive silicone oil used as a synthetic base, diluent or additive for silicone elastomers. Due to the highly reactive hydroxyl end groups, APS-215 may be easily cross-linked into linear polymers using suitable catalysts. The incorporation of silicon hydroxyl groups into the formulation greatly increases the crosslinking and reaction rates.

CHEMICAL STRUCTURE



APPLICATIONS

- Plasticizer for silicone rubbers
- Diluent for silicone sealants and elastomers
- Additive for silicone elastomers

STORAGE

When stored in a sealed container at temperatures between 5°C and 30°C, APS-215 fluid has a prolonged shelf life

PACKAGING

APS-215 is available in 8 oz. samples and 440-lb. drums.

Advanced Polymer, Inc.

400 Paterson Plank Road
Carlstadt, NJ 07072
Tel: (201) 933-0600
Fax: (201) 933-8442
www.advpolymer.com

I want to know more!

technical@advpolymer.com

The information set forth herein is furnished free of charge and based on technical data that Advanced Polymer, Inc. believes to be reliable. It is intended for use by persons having technical skill at their own risk. Because conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. Nothing herein is to be taken as license to operate under or a recommendation to infringe any patents.

TYPICAL PROPERTIES

Appearance:	Clear fluid
Ionic Nature:	Nonionic
Specific Gravity (@ 25°C):	1.0
Refractive Index (@ 25°C):	1.402
Viscosity (@ 25°C):	750 cs
Flash Point (Closed Cup):	>150°C
Max. Volatility (2 hrs/150°C):	2.0%

You may also be interested in . . .

APS-215

Section I Product Identity

Product Name	APS-215
Chemical Name/Family	Polydimethylsiloxane, Hydroxyl Dimethyl Terminated
CAS Registry	70131-67-8
24 Hour Emergency Number	800-424-9300
24 Hour Chemtrec Number	800-424-9300
All ingredients are listed in EPA's TSCA list of chemical substances	

Section II Hazardous Components/Composition Information

CHEMICAL :	CAS #:	USOS:	TWA:	STEL:	PERCENT:
None					

Section III Physical and Chemical Properties

Boiling Point	>400°F
Specific Gravity (H ₂ O=1)	0.975
Vapor Pressure	NA
Vapor Density (Air=1)	NA
Percent Volatile by Weight	NA
Evaporation Rate (BuAc=1)	NA
Solubility in Water	insoluble
Appearance and Odor	Clear, colorless liquid

Section IV Fire and Explosion Hazard Data

Flash Point (Method Used)	>300°C (Closed Cup)
Flammable Limits in Air (% By Volume)	ND
Extinguishing Media	Foam, dry chemical, CO ₂ .
Special Fire Fighting Procedures:	Evacuate personnel to a safe area. Wear self-contained breathing apparatus. Wear full protective equipment
Unusual Fire and Explosion Hazard	None.

Section V Reactivity Data

Stability	Stable
Conditions to Avoid	Store in a well-ventilated place at temperatures below 120°F. Keep container tightly closed. Protect from freezing
Incompatibilities	Avoid contact with strong oxidizing agents and acids. Aluminum at high temperatures.
Hazardous Decomposition or By Products	Combustion may produce CO ₂ or CO
Hazardous Polymerization	May Not Occur

Section VI Health hazard Data

Primary Routes of Entry	Inhalation: No	Dermal: Yes	Ingestion: Yes
Acute Health hazard	No information available		
Chronic Health Hazard	No information available		
Carcinogenicity	This product does not contain any suspected human carcinogens.		
NTP: No	IARC Monograph: No	OSHA Regulated: No	

Signs and Symptoms of Exposure:

Skin Contact	Prolonged and repeated contact with skin can cause defatting and drying of the skin resulting in skin irritation and dermatitis.
Eye Contact	Preexisting eye, skin and respiratory disorders may be aggravated by exposure to this product.
Ingestion	Although ingestion is unlikely, liquid would irritate upper digestive tract if swallowed.
Inhalation	No information available.

Medical Condition Generally Aggravated by Exposure

No information available

Emergency First Aid Procedures

Eyes	Immediately flush eyes with plenty of water. Seek medical attention.
Skin	Immediately wash skin with soap and water. Wash contaminated clothing before reuse.
Ingestion	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician.
Inhalation	Immediately remove to fresh air. If not breathing give artificial respiration. If breathing is difficult, give oxygen. Please note: Symptoms may be delayed; prompt medical attention may be required. Call a physician.

Section VII Precautions for Safe Handling and Use

Steps to be Taken in Case the Material is Released or Spilled:

Soak up with sawdust, sand, oil dry or other absorbent material.

Waste Disposal Method:

Dispose of according to EPA, State and Local regulations.

Section VIII Special Precautions

Precautions to be Taken in Handling and Storage:

Store in a well-ventilated place at temperatures below 120°F. Keep container tightly closed. Keep from freezing *** **Agitate contents of container before using** ***

Section IX Control Measures

Respiratory Protection	Not required	
Ventilation	Local exhaust	Not required
	Mechanical	
	Special	
	Other	
Eye Protection	Safety glasses should be worn	
Protective Gloves	Rubber or plastic gloves should be worn	
Protective Clothing	Rubber apron	
Other Protective Equipment	NIOSH approved respirator as needed	
Other Precautions	Wash hands after use.	

Section X SARA Title III

SECTION 313 SUPPLIER NOTIFICATION

This product contains the following toxic chemicals subject to the reporting requirements of SECTION 331 of the EMERGENCY PLANNING AND COMMUNIUTY RIGHT-TO-KNOW ACT OF 1986 and of 40 CFR 371

CAS #	Chemical Name	Percent by Weight

THIS INFORMATION MUST BE INCLUDED IN ALL MSDS'S THAT ARE COPIED AND DISTRIBUTED FOR THIS MATERIAL

Section XI Transportation Information

SHIPPING INFORMATION

APS-215 is classified non-hazardous and is not regulated by DOT.

Hazard Ratings

Health	1
Flammability	1
Reactivity	0

Date Prepared October 17, 2005

Prepared By API

Date Revised March 8, 2010

Revised By API

THE INFORMATION AND RECOMMENDATIONS HEREIN, ARE TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE. NO WARRANTY, EXPRESS OR IMPLIED, IS MADE OR INTENDED.

TO THE CUSTOMERS OF ADVANCED POLYMER, INC.

All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties, express or implied:

Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Neither seller nor manufacturer shall be liable for any injury, loss of damage, direct, or consequential arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for his intended use. The user assumes all risk and liability whatsoever in connection therewith.

No statement or recommendation contained herein shall have any force or effect unless in an agreement signed by officers of seller and manufacturer. Since the manufacturer of the product described in this technical data sheet has no means of controlling the final use of the product by the consumer for the user, it is the responsibility of the immediate purchaser and any intermediate seller or sellers to inform the user of the purposes for which the product may be fit and suitable and of the properties of the product, including the precautionary measures which must be taken in order to ensure the safety of the user and of other third persons and property.

No statement made herein shall be taken as an authorization or inducement to practice any patented invention without appropriate license.