




ADVANCED POLYMER, INC.

GET THE API ADVANTAGE . . .

AP-SILANE 30

AP-SILANE 30 is a high purity N-propyl-trimethoxysilane. AP-SILANE 30 can be diluted and applied to inorganic substrates and fillers to yield a clear film that will increase the hydrophobicity of the surface.

CHEMICAL STRUCTURE



CHARACTERISTICS

- Produces clear film
- Increases hydrophobicity of treated surface
- Can be applied to a wide range of inorganic surfaces

PACKAGING

AP-SILANE 30 is available in 4 oz. samples and 44-lb. drums.

TYPICAL PROPERTIES

Appearance:	Clear liquid
Molecular Weight:	164.3
Specific Gravity (@ 25°C):	0.94
Purity:	>98.0%
Refractive Index (@ 25°C):	1.398
Minimum Coverage Area:	315 m ² /g

Advanced Polymer, Inc.

400 Paterson Plank Road
Carlstadt, NJ 07072
Tel: (201) 933-0600
Fax: (201) 933-8442
www.advpolymer.com

I want to know more!

technical@advpolymer.com

You may also be interested in . . .

- **AP-SILANE 98**

The information set forth herein is furnished free of charge and based on technical data that Advanced Polymer, Inc. believes to be reliable. It is intended for use by persons having technical skill at their own risk. Because conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. Nothing herein is to be taken as license to operate under or a recommendation to infringe any patents.

Revised January 8, 2015