

API-8214AP

Section 1. Product and Company Identification

Product Name:	API-8214AP
Chemical Name/Family:	Maleic anhydride modified chlorinated polypropylene
CAS No.:	Mixture
Product Use:	Adhesion Promoter
Restrictions:	For Industrial Use Only
Company:	Advanced Polymer, Inc.
Address:	400 Paterson Plank Road Carlstadt, NJ 07072 U.S.A.
Telephone:	201-933-0600
Fax:	201-933-8442
24 Hour Emergency Number	800-424-9300
24 Hour Chemtrec Number	800-424-9300

Section 2. Hazards Identification

GHS Classification:

Physical Hazards

Flammable liquids Category 2

Health Hazards

Aspiration Hazard Category 1
Skin corrosion/irritation Category 2
Sensitization, skin Category 1
Serious eye damage/eye irritation Category 2A
Specific target organ toxicity, single exposure Category 1
Specific target organ toxicity, repeated exposure Category 1
Reproductive toxicity Category 2
Carcinogenicity Category 2
Germ Cell mutagenicity Category 2

Environmental Hazards

Hazardous to the aquatic environment, acute toxicity Category 2
Hazardous to the aquatic environment, chronic toxicity Category 2

GHS Label:



Symbol:

Signal Word: **Danger**

Hazard Classification:

Hazard Statement:

Highly flammable liquid and vapor
May be fatal if swallowed and enters airways.
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
Causes damage to organs (Central nervous system, Respiratory system, Kidneys, Liver)
Causes damage to organs (Central nervous system, Respiratory system, Kidneys, Liver) through prolonged or repeated exposure
Suspected of damaging fertility or the unborn child
Suspected of causing cancer

Suspected of causing genetic defects
Toxic to aquatic life

Toxic to aquatic life with long lasting effects

Precautionary Statement:

Prevention

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.
Keep container tightly closed.
Ground/Bond container and receiving equipment.
Use explosion-proof electrical/ventilating/lighting and other personal protective equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Wear protective gloves/eye protection/face protection.
Wash uncovered body surfaces and hands thoroughly after handling.
Do not breathe dust/fume/gas/mist/vapors/sprays.
Do not eat, drink or smoke when using this product.
Obtain special instructions before use.
Do not handle until all safety precautions have been read and understood.
Use personal protective equipment as required.
Contaminated work clothing should not be allowed out of the workplace.
Avoid release to the environment.

Response

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use alcohol resistance foam, carbon dioxide, dry-chemical extinguishing system and not water.

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

Do NOT induce vomiting.

IF ON SKIN: Wash with plenty of soap and water.

Specific measures (see Section 4 First Aid Measures on this SDS).

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash before reuse.

IF exposed: Call a POSION CENTER or doctor/physician.

Call a POISON CENTER/doctor/physician if you feel unwell. Get medical advice/attention if you feel unwell.

Storage

Store in a well-ventilated place. Keep cool.

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3. Composition/Information on Ingredients

Ingredients	CAS No.	Percent
Modified Chlorinated Polypropylene with maleic anhydride	68442-33-1	30.0
Toluene	108-88-3	70.0

Section 4. First Aid Measures

Skin Contact: Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritation or rash occurs: Get medical advice/attention.

Eye Contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

Inhalation: Remove to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if you feel unwell.

Ingestion: Rinse mouth with water. Immediately call a POISON CENTER or doctor/physician.

Section 5. Firefighting Measures

Fire and Explosion Hazard: There is a risk of fire or explosion by contact with heat or flame. Avoid inhalation of material or combustion by-products (carbon monoxide and hydrogen chloride). Material is lighter than water and a fire may be spread by the use of water.

Fire Extinguishing Media: Regular dry chemical, carbon dioxide, or alcohol-resistant foam.

Unsuitable Extinguishing Media: No information available

Specific Hazards in Case of Fire: Move container from fire area if it can be done without risk. Prohibited from entering into locations around the fires. Cool container with water spray.

Special Fire Fighting Information: Wear protective gloves, safety glasses, air-purifying respirators.

Section 6. Accidental Release Measures

Personal Precautions:	Avoid breathing mist or vapours. Ensure adequate ventilation. Evacuate personnel to safe areas.
Protective Equipment:	Use personal protective equipment (cartridge respirator, safety goggles, chemical resistant gloves).
Environmental Precautions:	Remove all sources of ignition. Avoid discharging into the environment. Do not let enter drain.
Methods and Materials for Containment and Cleaning up:	Collect liquid in an appropriate container or absorb with an inert material (e.g. sand, earth, vermiculite) and place in a chemical waste container.

Section 7. Handling and Storage

Handling Conditions:	Avoid contact with skin and eyes or clothing. Avoid inhalation of vapours or mist. Use personal protective equipment (e.g. safety glasses, gas respirators, protective gloves). Wash thoroughly after handling. To keep out non-participants. Use spark-proof tools and explosion-proof equipment. Take precautionary measures against static discharge. *** Agitate contents of container before using ***
Storage Conditions:	Good ventilation is needed at work area. Protect from sunlight. Store at temperatures between 40°F and 90°F. Product will become more viscous at lower temperatures. Store in a well-ventilated place. Do not accumulate the vapour. (strong) oxidizing materials, strong acids.

Section 8. Exposure Control/Personal Protection

Exposure Limits:	Toluene CAS# 108-88-3 TWA 100 ppm; 375 mg/m ³ – USA. OSHA – Table Z-1 Limits for Air Contaminants STEL 150 ppm; 560mg/m ³ – USA. OSHA – Table Z-1 Limits for Air Contaminants TWA 200 ppm – USA. Occupational Exposure Limits – Table Z-2 Remarks Z37.12-1967 CEIL 300 ppm – USA. Occupational Exposure limits – Table Z-2 Peak 500 ppm – USA. Occupational Exposure limits – Table Z-2 TWA 20 ppm – USA. ACGIH Threshold Limit Values (TLV)
Appropriate engineering controls:	Handle in accordance with good industrial hygiene and safety practice. General ventilation required. Wear eye/face, skin, body and respiratory protection as needed to control the exposure limits.
Personal protective equipment:	
Respiratory Protection:	Chemical cartridge respirators.
Hand Protection:	Chemical resistant gloves.
Eye Protection:	Use safety glasses, coverall chemical goggles.
Skin and Body Protection:	Wear appropriate chemical resistant clothing.
Other Protective Equipment:	Provide an emergency eye wash fountain and quick drench shower in the immediate work area.
Hygiene Measures:	Wash uncovered body surfaces and hands thoroughly after handling.

Section 9. Physical and Chemical Properties

Physical State:	Viscous liquid
Color:	Pale yellow to amber
Odor:	Aromatic
Odor Threshold:	No information available.
pH:	N/A
Specific Gravity (77°F):	<1
% Volatile by Weight:	67.0 – 72.0
% Non-Volatile by Weight:	28.0 - 33.0
% VOC:	No information available.
Melting Point:	No information available.
Freezing Point:	No information available.
Boiling point:	Not available. Toluene: 230 - 232 ° F(110-111°C)
Flash Point:	No information available. Toluene: 4.0°C (closed cup)
Evaporation Rate (BuAc=1):	No information available.
Flammability:	No information available.
Explosion Limits:	No information available.
Vapor Pressure (mmHg):	Not available. Toluene: 29.1 hPa (21.8 mmHg) 68 ° F (20°C)
Vapor Density (Air=1):	No information available.
Solubility:	Insoluble in water
n-Octanol/Water Partition Coefficient:	No information available.
Auto-ignition Temperature:	No information available.
Viscosity:	No information available.
Decomposition Temperature:	No information available.

Section 10. Stability and Reactivity

Chemical Stability:	Stable at normal temperatures and pressure.
Hazardous Polymerization:	May not occur.
Conditions to Avoid:	Avoid heat, flames, sparks and other sources of ignition.
Incompatible Materials:	Strong oxidizing materials and acids.
Hazardous Decomposition Products:	Thermal decomposition products: Carbon monoxide, carbon dioxide, and hydrogen chloride.

Section 11. Toxicological Information

Primary Routes of Entry:

Eye:	Yes	Skin:	Yes	Inhalation:	Yes	Ingestion:	Yes
------	-----	-------	-----	-------------	-----	------------	-----

Potential Health Effects:

Inhalation:	May be harmful if inhaled.
Ingestion:	May be harmful if swallowed and enters airways.
Skin:	Causes skin irritation.
Eyes:	Causes serious eye irritation.
Acute Toxicity:	No information available.
Chronic Toxicity:	No information available.

Respiratory Sensitization:	No information available.
Skin Sensitization:	May cause an allergic skin reaction.
Mutagenicity:	Suspected of causing genetic defects
Toxic to reproduction:	Suspected of damaging fertility or the unborn child
Specific Target Organ Toxicity (Single Exposure):	Causes damage to Central nervous system, Respiratory system, Kidneys, Liver
Specific Target Organ Toxicity (Repeated Exposure):	Causes damage to Central nervous system, Respiratory system, Kidneys, Liver
Aspiration hazard	May be harmful if swallowed and enters airways
Carcinogenicity:	Suspected of causing cancer.

IARC:	Toluene: Group 3	NTP	No	OSHA:	No
-------	------------------	-----	----	-------	----

Section 12. Ecological Information

Ecotoxicity (Aquatic and Terrestrial):	Toxic to aquatic life. (See Toluene info)
Persistence / Degradability:	Toxic to aquatic life with long lasting effects. (See Toluene info)
Bioaccumulative Potential	No information available. (See Toluene info)
Mobility in Soil:	No information available.
PBT and vPvB Assessment:	No information available.

Section 13. Disposal Considerations

Product:	Dissolve or mix with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Dispose of contents/container in accordance with local/regional/ national/international regulation. Contact a licensed professional waste disposal service to this material. Do not dump this product into sewers, on the ground or into any body of water.
Contaminated Packaging:	Dispose of as unused product.

Section 14. Transport Information

Land Transport (DOT):	
UN Number:	1866
UN Proper Shipping Name:	Resin solution
Transport Hazard Class:	3
Packing Group:	II
Sea Transport (IMDG):	
UN Number:	1866
UN Proper Shipping Name:	Resin Solution
Transport Hazard Class:	3
Packing Group:	II
Air Transport (IATA):	
UN Number:	1866
UN Proper Shipping Name:	Resin Solution
Transport Hazard Class:	3
Packing Group:	II
Environmental Hazards (e.g., Marine pollutant):	Yes

Section 15. Regulatory Information

International Inventories:	Compound A	Toluene
TSCA (USA):	Yes	Yes
DSL (Canada):	Yes	Yes
ENCS (Japan):	Yes	Yes
REACH (Europe):	Yes	Yes
IECSC (China):	Yes	Yes
KECL (Korea):	Yes	Yes
PICCS (Philippines):	Yes	Yes
AICS (Australia):	Yes	Yes
ERMA (New Zealand):	No information available	Yes

Federal Regulations:

SARA 313:	Toluene (CAS # 108-88-3)
SARA 311/312:	No information available.
Clean Water Act:	No information available.
Clean Water Act:	No information available.
Clean Air Act, Section 112 HAPs (See 40CFR61):	No information available.

State Regulations:

Massachusetts Right to Know Components:	Toluene (CAS # 108-88-3)
New Jersey Right to Know Components:	Toluene (CAS # 108-88-3)
Pennsylvania Right to Know Components:	Toluene (CAS # 108-88-3)
California Proposition 65:	Toluene (CAS # 108-88-3)

Section 16. Other Information

WHMIS Classification: No information available

HMIS Rating:

Health Hazard	2
Flammability:	3
Physical Hazard:	0
Personal Protection Equipment:	X

NFPA Rating

Health Hazard:	2
Fire Hazard:	3
Reactivity Hazard:	0

Date Prepared June 12, 2015
Prepared By Advanced Polymer, Inc.
Date Revised August 18, 2016
Revised By Advanced Polymer, Inc.

THE INFORMATION AND RECOMMENDATIONS HEREIN, ARE TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE. NO WARRANTY, EXPRESS OR IMPLIED, IS MADE OR INTENDED.

TO THE CUSTOMERS OF ADVANCED POLYMER, INC.

All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties, express or implied:

Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Neither seller nor manufacturer shall be liable for any injury, loss of damage, direct, or consequential arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for his intended use. The user assumes all risk and liability whatsoever in connection therewith.

No statement or recommendation contained herein shall have any force or effect unless in an agreement signed by officers of seller and manufacturer. Since the manufacturer of the product described in this technical data sheet has no means of controlling the final use of the product by the consumer for the user, it is the responsibility of the immediate purchaser and any intermediate seller or sellers to inform the user of the purposes for which the product may be fit and suitable and of the properties of the product, including the precautionary measures which must be taken in order to ensure the safety of the user and of other third persons and property.

No statement made herein shall be taken as an authorization or inducement to practice any patented invention without appropriate license.