

# APS-327

### Section 1. Product and Company Identification

Product Name:	APS-327
Chemical Name/Family:	Reactive amino-modified silicone fluid
CAS No.:	Proprietary
Product Use:	Resin Modifier, Textile Treatment, Polishing Agent
Restrictions:	For Industrial Use Only
Company:	Advanced Polymer.
Address:	400 Paterson Plank Road Carlstadt, NJ 07072 U.S.A.
Telephone:	201-933-0600
Fax:	201-933-8442
24 Hour Emergency Number	800-424-9300
24 Hour Chemtrec Number	800-424-9300

### Section 2. Hazards Identification

### **GHS Classifcation:**

Ρ

Physical Hazards					
Flammable liquids	Category 4				
Health Hazards					
Skin corrosion/irritation	Category 2				
Serious eye damage/eye irritation	Category 1				
Reproductive toxicity	Category 2				
Environmental Hazards Not classified					

#### **GHS Label:**

#### Symbol:



Signal Word: Danger

#### Hazard Classification:

#### **Hazard Statement:**

Combustible liquid

- Causes skin irritation
- Causes serious eye damage

Suspected of damaging fertility or the unborn child



#### **Precautionary Statement:**

#### Prevention

Keep away from flames and hot surfaces. – No smoking Wear protective gloves/ eye protection/face protection. Wash skin and other exposed areas thoroughly after handling. Obtain special instructions before use.

#### Response

In case of fire: Use suitable extinguishing media for extinction. See Section 5. IF ON SKIN: Wash with plenty of soap and water. Specific treatment (see supplemental first aid instructions on this SDS). If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash before reuse. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical help. IF exposed or concerned, get medical advice.

#### Storage

Store in a well-ventilated place. Store locked up.

#### Disposal

Dispose of contents/ container in accordance with local/regional/national/international regulations.

#### Section 3. Composition/Information on Ingredients

Ingredients	CAS No.	Percent
Amino Modified organopolysiloxane	Proprietary	>95
Octamethylcyclotetrasiloxane (impurity)	556-67-2	3 - < 5

#### **Section 4. First Aid Measures**

Skin Contact:	Wash with plenty of soap and water. Take off contaminated clothing and wash before reuse. If skin irritation occurs: Get medical advice/attention.
Eye Contact:	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.
Inhalation:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
Ingestion:	If swallowed, DO NOT induce vomiting. Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

### **Section 5. Firefighting Measures**

Specific Hazards in Case of Fire:	Combustible liquid. By heating and fire, harmful vapors/gases may be formed. Nitrogen oxides. (corrosive)
Fire Extinguishing Media:	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable Extinguishing Media:	Do not use a solid water stream as it may scatter and spread fire.
Special Protective Equipment and	Firefighters must use standard protective equipment including flame



# 400 PATERSON PLANK ROAD | CARLSTADT, NJ 07072 PHONE: (201) 933-0600 | FAX: (201) 933-8442 WWW.ADVPOLYMER.COM

Precaution for Firefighters:	retardant coat, helmet, gloves, rubber boots, and self-contained
	breathing apparatus. Move containers from fire area if you can do so
	without risk.
Unusual Fire & Explosion Hazards:	No information avilable.

### **Section 6. Accidental Release Measures**

Personal Precautions: Protective Equipment:	Keep unnecessary personnel away. Local authorities should be advised if significant spillages cannot be contained. Do not touch or walk-through spilled material. Ensure adequate ventilation. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Wear appropriate personal protective equipment.
Environmental Precautions:	Prevent further leakage or spillage if safe to do so. Avoid discharge into
Linnonmental Frecautions.	drains, water courses or onto the ground.
Methods and Materials for Containment and Cleaning up:	Large Spills: Stop the flow of material if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Small Spills: Wipe up with absorbent material (e.g., cloth, fleece). Clean surface thoroughly to remove residual contamination. Never return spills in original containers for re-use.

# Section 7. Handling and Storage

Handling Conditions:	Provide adequate ventilation. Use adequate ventilation when this product is heated at approximately 150°C (300°F) and above in the presence of air. Use care in handling/storage. Obtain special instructions before use. Keep away from open flames, hot surfaces, and sources of ignition. Do not smoke. Wash hands thoroughly after handling. Do not handle until all safety precautions have been read and understood. Pregnant or breastfeeding women must not handle this product. Do not breathe mist or vapor. Avoid contact with skin. Avoid contact with eyes. Do not use this product for consumers' spray. *** Agitate contents of container before using***
Storage Conditions:	Keep container tightly closed in a cool, well-ventilated place. Keep in properly labeled containers in accordance with the national regulations. Keep away from heat and sources of ignition. *** Agitate contents of container before using***

# Section 8. Exposure Control/Personal Protection

Exposure Limits: Appropriate engineering controls:	None Established Explosion-proof general and local exhaust ventilation.
Personal protective equipment:	
Respiratory Protection:	In case of insufficient ventilation, wear suitable respiratory equipment.
Hand Protection:	Wear protective gloves.
Eye Protection:	Tightly sealed safety glasses.
Skin and Body Protection:	Wear suitable protective clothing. Wear appropriate thermal protective clothing, when necessary.
Other Protective Equipment:	Provide safety shower and eyewash station.
Hygiene Measures:	Avoid contact with skin. Avoid contact with eyes. When using, do not eat, drink or smoke. Keep away from food and drink. Wash hands before



# 400 PATERSON PLANK ROAD | CARLSTADT, NJ 07072 PHONE: (201) 933-0600 | FAX: (201) 933-8442 WWW.ADVPOLYMER.COM

breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice. This product can generate formaldehyde at approximately 150 °C (300 °F) and above in the presence of air. Formaldehyde is a skin and respiratory sensitizer, eye and throat irritant, acute toxicant, and potential cancer hazard. So, use adequate ventilation or wear protective equipment such as gloves, goggles, organic vapor respirator or protective clothing when this product is heated at approximately 150 °C (300 °F) and above in the presence of air.

### **Section 9. Physical and Chemical Properties**

Physical State:	Liquid
Color:	Colorless, clear
Odor:	Slight
Odor Threshold:	No Information Available
% Non-volatile by Weight:	No Information Available
pH:	N/A
Specific Gravity (77°F):	0.98
% Volatile by Weight:	<5
Melting Point:	No Information Available
Freezing Point:	No Information Available
Boiling point:	No Information Available
Flash Point:	> 141.8 °F (> 61 °C) Closed Cup 212 °F (100 °C) Open Cup
Evaporation Rate (BuAc=1):	Negligible
Flammability:	No Information Available
Explosion Limits:	No Information Available
Vapor Pressure (25°C):	Negligible
Vapor Density (Air=1):	No Information Available
Solubility:	Not soluble in water
Partition Coefficient:	No Information Available
Auto-ignition Temperature:	No Information Available
Viscosity (25 °C):	65 mm2/s
Decomposition Temperature:	No Information Available

### Section 10. Stability and Reactivity

Chemical Stability:	Stable under normal conditions.
Hazardous Polymerization:	May not occur.
Conditions to Avoid:	None known.
Incompatible Materials:	Strong oxidizing agents.
Hazardous Decomposition Products:	Thermal breakdown of this product during fire or very high heat condition may evolve the following hazardous decomposition product: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Nitrogen oxides. Formaldehyde.



# Section 11. Toxicological Information

Potential Health Effects:           Inhalation         No significant effects are expected.           Ingestion:         No significant effects are expected.           Skin:         Causes skin irritation           Eyes:         Causes serious eye damage. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.           Signs and Symptoms of Exposures:         No information available           Acute Toxicity:         Amino modified organopolysiloxane (CAS #: Proprietary)           LD50 Oral (Mouse): > 50 ml/kg         Octamethylcyclotetrasiloxane (Impurity) (CAS 556-67-2)           LC50 Inhalation (Rat): > 5000 mg/kg         No Information Available           Chronic Toxicity:         No Information Available           Skin corrosion/irritation:         Amino modified organopolysiloxane: Causes skin irritation Octamethylcyclotetrasiloxane: SKIN-RABBIT: 500mg/24 hr. MILD           Serious eye damage/eye irritation:         Octamethylcyclotetrasiloxane: No evidence of sensitization           Octamethylcyclotetrasiloxane: No evidence of sensitization         No Information Available           Skin Sensitization:         Octamethylcyclotetrasiloxane administered to rats by whole body inhalation at concentrations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offs	Primary Ro	outes of Entry:								
Inhalation       No significant effects are expected.         Ingestion:       No significant effects are expected.         Skin:       Causes skin irritation         Eyes:       Causes serious eye damage. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.         Signs and Symptoms of Exposures:       No information available         Acute Toxicity:       Amino modified organopolysiloxane (CAS #: Proprietary)         LDSO Oral (Mouse): > 50 ml/kg       Octamethylcyclotetrasiloxane (Impurity) (CAS 556-67-2)         LCSO Inhalation (Rat): > 5000 mg/m3. 4 hours       LDSO Oral (Mause): > 50 ml/kg         Chronic Toxicity:       No Information Available         Skin corrosion/irritation:       Amino modified organopolysiloxane: Causes skin irritation Octamethylcyclotetrasiloxane: SkIN-RABBIT: 500mg/24 hr. MILD         Serious eye damage/eye irritation:       Amino modified organopolysiloxane: Causes serious eye damage. Octamethylcyclotetrasiloxane: No Vidence of sensitization         Skin Sensitization:       No Information Available         Skin Sensitization:       Octamethylcyclotetrasiloxane: No evidence of sensitization         Reproductive toxicity:       Octamethylcyclotetrasiloxane: No evidence of sensitization         Skin Sensitization:       Octamethylcyclotetrasiloxane: No evidence of deliveries of offspring extending over an unusuall	Eye:	Yes	Skin:	Yes	Inhalation:	No	Ingesti	on:	No	
Ingestion:No significant effects are expected.Skin:Causes skin irritationEyes:Causes serious eye damage. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.Signs and Symptoms of Exposures:No information availableAcute Toxicity:Amino modified organopolysiloxane (CAS #: Proprietary) LD50 Oral (Mouse): > 50 ml/kg Octamethylcyclotetrasiloxane (Impurity) (CAS 556-67-2) LC50 Inhalation (Rat): > 5000 mg/m3, 4 hours LD50 Oral (Rat): > 5000 mg/kgChronic Toxicity:No Information AvailableSkin corrosion/irritation:Amino modified organopolysiloxane: Causes skin irritation Octamethylcyclotetrasiloxane: SKIN-RABBIT: 500mg/24 hr. MILDSerious eye damage/eye irritation:Amino modified organopolysiloxane: Causes serious eye damage. Octamethylcyclotetrasiloxane: EYE-RABBIT: MILDRespiratory Sensitization:No Information Available Skin Sensitization:No Information availableOctamethylcyclotetrasiloxane: No evidence of sensitizationReproductive toxicity:Octamethylcyclotetrasiloxane: No evidence of sensitizationNo information availableStin Sensitization review and alterations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unsually long period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-find	Potential H	lealth Effects:					•			
Skin:       Causes skin irritation         Eyes:       Causes serious eye damage. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.         Signs and Symptoms of Exposures:       No information available         Acute Toxicity:       Amino modified organopolysiloxane (CAS #: Proprietary) LDSO Oral (Mouse): > 50 ml/kg         Octamethylcyclotetrasiloxane (Impurity) (CAS 556-67-2) LCSO Inhalation (Rat): > 5000 mg/kg       No Information Available         Skin corrosion/irritation:       Amino modified organopolysiloxane: Causes skin irritation Octamethylcyclotetrasiloxane: SKIN-RABBIT: 500mg/24 hr. MILD         Seepiratory Sensitization:       Amino modified organopolysiloxane: Causes serious eye damage. Octamethylcyclotetrasiloxane: EYE-RABBIT: MILD         Reproductive toxicity:       Octamethylcyclotetrasiloxane: No evidence of sensitization         Octamethylcyclotetrasiloxane: No evidence of sensitization       Octamethylcyclotetrasiloxane: No evidence of sensitization         Reproductive toxicity:       Octamethylcyclotetrasiloxane administered to rats by whole body inhalation at concentrations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unsually long period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evalauated (300 and 70 ppm). I	Inhalatior	ı	No sig	gnificant effe	cts are expected					
Eyes:       Causes serious eye damage. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.         Signs and Symptoms of Exposures:       No information available         Acute Toxicity:       Amino modified organopolysiloxane (CAS #: Proprietary) LD50 Oral (Mouse): > 50 ml/kg Octamethylcyclotetrasiloxane (Impurity) (CAS 556-67-2) LC50 Inhalation (Rat): > 5000 mg/kg         Chronic Toxicity:       No Information Available         Skin corrosion/irritation:       Amino modified organopolysiloxane: Causes skin irritation Octamethylcyclotetrasiloxane: SkIN-RABBIT: 500mg/24 hr. MILD         Serious eye damage/eye irritation:       Amino modified organopolysiloxane: Causes serious eye damage. Octamethylcyclotetrasiloxane: EYE-RABBIT: MILD         Respiratory Sensitization:       No Information Available         Skin Sensitization:       Octamethylcyclotetrasiloxane: No evidence of sensitization         Octamethylcyclotetrasiloxane: No evidence of sensitization         Reproductive toxicity:       Octamethylcyclotetrasiloxane administered to rats by whole body inhalation at concentrations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unusually long period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding s	Ingestion	:	No sig	gnificant effe	cts are expected					
stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Skin irritation. May cause redness and pain.Signs and Symptoms of Exposures:No information availableAcute Toxicity:Amino modified organopolysiloxane (CAS #: Proprietary) LD50 Oral (Mouse): > 50 ml/kg Octamethylcyclotetrasiloxane (Impurity) (CAS 556-67-2) LC50 Inhalation (Rat): > 5000 mg/mg, 4 hours LD50 Oral (Rat): > 5000 mg/kgChronic Toxicity:No Information AvailableSkin corrosion/irritation:Amino modified organopolysiloxane: Causes skin irritation Octamethylcyclotetrasiloxane: SKIN-RABBIT: 500mg/24 hr. MILDSerious eye damage/eye irritation:Amino modified organopolysiloxane: Causes serious eye damage. Octamethylcyclotetrasiloxane: EVE-RABBIT: MILDRespiratory Sensitization:No Information AvailableSkin Sensitization:Octamethylcyclotetrasiloxane: No evidence of sensitization No Information AvailableReproductive toxicity:Octamethylcyclotetrasiloxane administered to rats by whole body inhalation at concentrations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unusually long period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding study, rats exposed to vapor concentrations of 700 ppm had decreased in the number of implantation sites and live litter size. Octamethylcyclotetrasiloxane: Negative(Bacteria)Careinogenicity:Octamethylcyclotetrasiloxane: Negat	Skin:		Cause	es skin irritati	on					
LD50 Oral (Mouse): > 50 ml/kgOctamethylcyclotetrasiloxane (Impurity) (CAS 556-67-2)LC50 Inhalation (Rat): > 5000 mg/m3, 4 hoursLD50 Oral (Rat): > 5000 mg/kgChronic Toxicity:No Information AvailableSkin corrosion/irritation:Amino modified organopolysiloxane: Causes skin irritationOctamethylcyclotetrasiloxane: SKIN-RABBIT: 500mg/24 hr. MILDSerious eye damage/eye irritation:Amino modified organopolysiloxane: Causes serious eye damage.Octamethylcyclotetrasiloxane: EYE-RABBIT: MILDRespiratory Sensitization:Octamethylcyclotetrasiloxane: No evidence of sensitizationReproductive toxicity:Octamethylcyclotetrasiloxane: No evidence of sensitizationOctamethylcyclotetrasiloxane: No evidence of deliveries of offspring extending over an unusually long period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding study, rats exposed to vapor concentrations of 700 pp md decreased in the number of implantation sites and live litter size. Octamethylcyclotetrasiloxane: The significance of these findings to humans is not known.Mutagenicity:Carcinogenicity:		Symptoms of Exposures:	stingi dama redne	damage including blindness could result. Skin irritation. May cause redness and pain.						
Skin corrosion/irritation:Amino modified organopolysiloxane: Causes skin irritation Octamethylcyclotetrasiloxane: SKIN-RABBIT: 500mg/24 hr. MILDSerious eye damage/eye irritation:Amino modified organopolysiloxane: Causes serious eye damage. Octamethylcyclotetrasiloxane: EYE-RABBIT: MILDRespiratory Sensitization:No Information AvailableOctamethylcyclotetrasiloxane: No evidence of sensitizationOctamethylcyclotetrasiloxane: No evidence of sensitizationReproductive toxicity:Octamethylcyclotetrasiloxane: No evidence of sensitizationOctamethylcyclotetrasiloxane: serious of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unusually long period (dystocia) were observed at these concentrations. Statistically significant alterations in 	Acute Toxi	city:	LD: Octan LC:	LD50 Oral (Mouse): > 50 ml/kg Octamethylcyclotetrasiloxane (Impurity) (CAS 556-67-2) LC50 Inhalation (Rat): > 5000 mg/m3, 4 hours						
Octamethylcyclotetrasiloxane: SKIN-RABBIT: 500mg/24 hr. MILDSerious eye damage/eye irritation:Amino modified organopolysiloxane: Causes serious eye damage. Octamethylcyclotetrasiloxane: EYE-RABBIT: MILDRespiratory Sensitization:No Information AvailableSkin Sensitization:Octamethylcyclotetrasiloxane: No evidence of sensitizationReproductive toxicity:Octamethylcyclotetrasiloxane administered to rats by whole body inhalation at concentrations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unusually long period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding study, rats exposed to vapor concentrations of 700 ppm had decreased in the number of implantation sites and live litter size. Octamethylcyclotetrasiloxane: The significance of these findings to humans is not known. 	Chronic To	xicity:	No In	No Information Available						
Respiratory Sensitization:Octamethylcyclotetrasiloxane: EYE-RABBIT: MILD No Information AvailableSkin Sensitization:Octamethylcyclotetrasiloxane: No evidence of sensitizationReproductive toxicity:Octamethylcyclotetrasiloxane administered to rats by whole body inhalation at concentrations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unusually long period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding study, rats exposed to vapor concentrations of 700 ppm had decreased in the number of implantation sites and live litter size. Octamethylcyclotetrasiloxane: The significance of these findings to humans is not known.Mutagenicity:Octamethylcyclotetrasiloxane: Negative(Bacteria)	Skin corros	sion/irritation:								
Skin Sensitization:Octamethylcyclotetrasiloxane: No evidence of sensitizationReproductive toxicity:Octamethylcyclotetrasiloxane administered to rats by whole body inhalation at concentrations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unusually long period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding study, rats exposed to vapor concentrations of 700 ppm had decreased in the number of implantation sites and live litter size. Octamethylcyclotetrasiloxane: The significance of these findings to humans is not known.Mutagenicity:Octamethylcyclotetrasiloxane: Negative(Bacteria)	-		Octan	Octamethylcyclotetrasiloxane: EYE-RABBIT: MILD						
Reproductive toxicity:Octamethylcyclotetrasiloxane administered to rats by whole body inhalation at concentrations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unusually long period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding study, rats exposed to vapor concentrations of 700 ppm had decreased in the number of implantation sites and live litter size. Octamethylcyclotetrasiloxane: The significance of these findings to humans is not known.Mutagenicity:Octamethylcyclotetrasiloxane: Negative(Bacteria)	-	-	-			outelouses of a				
<ul> <li>inhalation at concentrations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unusually long period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding study, rats exposed to vapor concentrations of 700 ppm had decreased in the number of implantation sites and live litter size.</li> <li>Octamethylcyclotetrasiloxane: The significance of these findings to humans is not known.</li> <li>Mutagenicity:</li> </ul>										
	Mutagenicity:			inhalation at concentrations of 500 and 700 ppm for 70 days prior to mating, through mating, gestation and lactation resulted in decreases in live litter size. Additionally, increases in the incidence of deliveries of offspring extending over an unusually long period (dystocia) were observed at these concentrations. Statistically significant alterations in these parameters were not observed in the lower concentrations evaluated (300 and 70 ppm). In a previous range-finding study, rats exposed to vapor concentrations of 700 ppm had decreased in the number of implantation sites and live litter size. Octamethylcyclotetrasiloxane: The significance of these findings to humans is not known.						
IARC: No NTP: No OSHA: No	Carcinoger	nicity:								
	IARC:	No	N	TP:	No	OSH	IA:	No		

# Section 12. Ecological Information

Ecotoxicity (Aquatic and Terrestrial):	No Information Available
<b>Bioaccumulative Potential</b>	No Information Available
Mobility in Soil:	No Information Available
PBT and vPvB Assessment:	No Information Available
Other Adverse Effects:	No Information Available



# Section 13. Disposal Considerations

Product:	Dispose of contents/ container in accordance with local/regional/national/international regulations.
Disposing of Contaminated Packaging:	Contaminated packaging should be as empty as possible. Dispose of as unused product. Empty containers should be taken to an approved waste handling site for recycling or disposal. Do not burn or use a cutting torch on the empty drum.

# Section 14. Transport Information

Land Transport (DOT):	Classified as a "combustible liquid" according to 49 CFR 173.120 (b)(1). Not regulated for ground shipments in the U.S. in non-bulk packaging (≤119 gallons).
UN Number:	NA1993
UN Proper Shipping Name:	Combustible liquid, n.o.s. (Octamethylcyclotetrasiloxane)
Transport Hazard Class:	Combustible liq
Packing Group:	III
Sea Transport (IMDG):	Not regulated as dangerous goods.
UN Number:	N/A
UN Proper Shipping Name:	N/A
Transport Hazard Class:	N/A
Packing Group:	N/A
Air Transport (IATA):	Not regulated as dangerous goods.
UN Number:	N/A
UN Proper Shipping Name:	N/A
Transport Hazard Class:	N/A
Packing Group:	N/A
Environmental Hazards (e.g., Marine pollutant):	No

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code is not applicable.

Section 15. Regulatory Information		
International Inventories:		
TSCA (USA):	Yes	
DSL (Canada):	No	
NDSL (Canada):	Yes	
ENCS (Japan)	Yes	
EINECS (Europe):	Yes	
IECSC (China):	Yes	
KECL (Korea):	Yes	
PICCS (Philippines):	Yes	
AICS (Australia):	Yes	
ERMA (New Zealand):	Yes	



Federal Regulations:	
SARA 313:	None
SARA 311/312:	No Information Available
Clean Water Act:	No Information Available
Clean Air Act, Section 112 HAPs (See 40CFR61):	No Information Available
State Regulations:	
Massachusetts Right to Know Components:	Not regulated
New Jersey Right to Know Components:	Not listed
Pennsylvania Right to Know Components:	Not listed
California Proposition 65:	None

### Section 16. Other Information

WHMIS Classification:	No information available
HMIS Rating:	
Health Hazard	3
Flammability:	2
Physical Hazard:	0
Personal Protection Equipment:	Х
NFPA Rating	
Health Hazard:	3
Fire Hazard:	2
Reactivity Hazard:	0

Date Prepared	June 22, 2015
Prepared By	Advanced Polymer.
Date Revised	February 25, 2022
Revised By	Advanced Polymer.

THE INFORMATION AND RECOMMENDATIONS HEREIN, ARE TO THE BEST OF OUR KNOWLEDGE, TRUE AND ACCURATE. NO WARRANTY, EXPRESS OR IMPLIED, IS MADE OR INTENDED.



### TO THE CUSTOMERS OF ADVANCED POLYMER.

All statements, technical information and recommendations contained herein are based on tests we believe to be reliable, but the accuracy or completeness thereof is not guaranteed, and the following is made in lieu of all warranties, express or implied:

Seller's and manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Neither seller nor manufacturer shall be liable for any injury, loss of damage, direct, or consequential arising out of the use of or the inability to use the product. Before using, user shall determine the suitability of the product for his intended use. The user assumes all risk and liability whatsoever in connection therewith.

No statement or recommendation contained herein shall have any force or effect unless in an agreement signed by officers of seller and manufacturer. Since the manufacturer of the product described in this technical data sheet has no means of controlling the final use of the product by the consumer for the user, it is the responsibility of the immediate purchaser and any intermediate seller or sellers to inform the user of the purposes for which the product may be fit and suitable and of the properties of the product, including the precautionary measures which must be taken in order to ensure the safety of the user and of other third persons and property.

No statement made herein shall be taken as an authorization or inducement to practice any patented invention without appropriate license.