

# AdvaBond® 8100

## Product Overview

AdvaBond® 8100 is a solvent-borne chlorine-free adhesion promoter for polyolefin substrates. It is designed to work on surfaces without any surface treatment such as corona or flame. AdvaBond® 8100 can be used as a primer or as an additive to a coating formulation.

## Physical Properties

COLOR & APPEARANCE:	Transparent Colorless Viscous Liquid
SOLIDS CONTENT:	30.0%
SPECIFIC GRAVITY:	0.89
CARRIER SOLVENT:	Xylene

## Applications

- Superior adhesion to PP, PE, TPO or EPDM
- Excellent interlayer adhesion between primer and top coat (polyester, alkyd or polyurethane paint).
- Cured at elevated or ambient temperature

## Packaging

Available in 8 oz. samples sizes and drum quantities.

## Application Methods

### TYPICAL APPLICATIONS

Additive for paint  
Automotive coatings  
Coatings for plastics  
Printing Inks  
Adhesives and Sealants  
Footwear applications

ADVANCED POLYMER  
400 Paterson Plank Road  
Carlstadt, NJ 07072

[ADVPOLYMER.COM](http://ADVPOLYMER.COM)

PHONE: 201.933.0600

FAX: 201.933.8442

The information set forth herein is furnished free of charge and based on technical data that Advanced Polymer believes to be reliable. It is intended for use by persons having technical skill at their own risk. Because conditions of use are outside our control, we make no warranties, express or implied, and assume no liability in connection with any use of this information. Nothing herein is to be taken as license to operate under or a recommendation to infringe any patents.