

AdvaBond® 8210

Product Overview

AdvaBond® 8210 is a chlorinated polypropylene resin solution that provides excellent adhesion to polyolefinic substrates, especially PP, PE, TPO and EPDM. AdvaBond® 8210 can be used as a primer or as an additive to a coating or adhesive formulation.

Physical Properties

APPEARANCE:	Amber Solution
SOLID CONTENT:	60%
PH:	N/A
SOLVENT:	Xylene
% VOC:	40%
SPECIFIC GRAVITY:	1.01

Applications

- Superior adhesion to PP, TPO or EPDM.
- High solids
- Compatible with a variety of different solvents

Packaging

Available in 8 oz. samples sizes and 397-lb drum quantities.

Application Methods

If used as a primer:

Dilute product in solvent at 1-10% based on actives.
Make sure surface is free of any contamination (dirt, oil, grease or others)
Apply dilution via spray, brush or rod ensuring good coverage.
Apply top coat or adhesive once substrate is dry.

If used as an additive:

Add product in system at 1-10% based on a weight basis depending on performance and/or cost requirements.

Make sure AdvaBond® 8210 is compatible in the system.
Apply adhesive as per required rates and application.

ADVANCED POLYMER
400 Paterson Plank Road
Carlstadt, NJ 07072